

# SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)

## MAXEPOX FLOOR AC CB



Version 1 Date of compilation: 8/05/2024

Version 5 (replaces version 4)

Revision date: 13/06/2024

Page 1 of 11

Print date: 13/06/2024

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING.

#### 1.1 Product identifier.

Product Name: MAXEPOX FLOOR AC CB  
UFI: VJX0-00QM-G002-DH31

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against.

Curing agent for epoxy system

#### Uses advised against:

Uses other than those recommended.

#### 1.3 Details of the supplier of the safety data sheet.

Company: **DRIZORO SAU**  
Address: C/ Primavera, 50 - 52 Parque Industrial Las Monjas  
City: 28850 - Torrejón de Ardoz  
Province: Madrid (Spain)  
Telephone: +34 91 676 66 76  
Fax: +34 91 675 11 31  
E-mail: info@drizoro.com  
Web: www.drizoro.com

#### 1.4 Emergency telephone number: +34 91 676 66 76 (Only available during office hours; Monday-Friday; 08:00-18:00)

### SECTION 2: HAZARDS IDENTIFICATION.

#### 2.1 Classification of the substance or mixture.

In accordance with Regulation (EC) No 1272/2008:

Acute Tox. 4 : Harmful if swallowed.  
Aquatic Chronic 3 : Harmful to aquatic life with long lasting effects.  
Eye Dam. 1 : Causes serious eye damage.  
Skin Corr. 1B : Causes severe skin burns and eye damage.  
Skin Sens. 1 : May cause an allergic skin reaction.

#### 2.2 Label elements.

##### Labelling in accordance with Regulation (EC) No 1272/2008:

Pictograms:



Signal Word:

**Danger**

Hazard statements:

H302 Harmful if swallowed.  
H314 Causes severe skin burns and eye damage.  
H317 May cause an allergic skin reaction.  
H412 Harmful to aquatic life with long lasting effects.

Precautionary statements:

P260 Do not breathe dust/fume/gas/mist/vapours/spray.  
P264 Wash ... thoroughly after handling.  
P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/...

-Continued on next page.-

# SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)



## MAXEPOX FLOOR AC CB

Version 1 Date of compilation: 8/05/2024

Version 5 (replaces version 4)

Revision date: 13/06/2024

Page 2 of 11

Print date: 13/06/2024

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 Immediately call a POISON CENTER/doctor/...  
P321 Specific treatment (see ... on this label).

### EUH statements:

EUH205 Contains epoxy constituents. May produce an allergic reaction.

### Contains:

benzyl alcohol

3-aminomethyl-3,5,5-trimethylcyclohexylamine

Phenol, 4,4-(1-methylethylidene)bis-, polymer with 5-amino-1,3,3-trimethylcyclohexanemethanamine and (chloromethyl)oxirane

### 2.3 Other hazards.

The mixture does not contain substances classified as PBT.

The mixture does not contain substances classified as vPvB.

The mixture does not contain any endocrine disrupting properties substances.

In normal use conditions and in its original form, the product itself does not involve any other risk for health and the environment.

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS.

### 3.1 Substances.

Not applicable.

### 3.2 Mixtures.

Substances posing a danger to health or the environment in accordance with the Regulation (EC) No. 1272/2008, assigned a Community exposure limit in the workplace, and classified as PBT/vPvB or included in the Candidate List:

| Identifiers                                                                                               | Name                                                                                                                       | Concentrate | (*)Classification - Regulation (EC) No 1272/2008                                  |                                                                        |
|-----------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------|-------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------|
|                                                                                                           |                                                                                                                            |             | Classification                                                                    | Specifics concentration limits and Acute toxicity estimate             |
| CAS No: 38294-64-3<br>EC No: 500-101-4                                                                    | Phenol, 4,4-(1-methylethylidene)bis-, polymer with 5-amino-1,3,3-trimethylcyclohexanemethanamine and (chloromethyl)oxirane | 25 - 75 %   | Aquatic Chronic 3, H412 - Skin Corr. 1B, H314 - Skin Sens. 1, H317                | -                                                                      |
| Index No: 603-057-00-5<br>CAS No: 100-51-6<br>EC No: 202-859-9<br>Registration No: 01-2119492630-38-XXXX  | benzyl alcohol                                                                                                             | 15 - 25 %   | Acute Tox. 4 *, H332 - Acute Tox. 4 *, H302                                       | -                                                                      |
| Index No: 612-067-00-9<br>CAS No: 2855-13-2<br>EC No: 220-666-8<br>Registration No: 01-2119514687-32-XXXX | 3-aminomethyl-3,5,5-trimethylcyclohexylamine                                                                               | 5 - 25 %    | Acute Tox. 4, H302 - Eye Dam. 1, H318 - Skin Corr. 1B, H314 - Skin Sens. 1A, H317 | Skin Sens. 1A, H317: C ≥ 0,001 %<br>Oral: ETA = 1030 mg/kg pc (ATP 17) |

(\*) The complete text of the H phrases is given in section 16 of this Safety Data Sheet.

\* See Regulation (EC) No. 1272/2008, Annex VI, section 1.2.

## SECTION 4: FIRST AID MEASURES.

### 4.1 Description of first aid measures.

In case of doubt or when symptoms of feeling unwell persist, get medical attention. Never administer anything orally to persons who are unconscious.

-Continued on next page.-

# SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)

## MAXEPOX FLOOR AC CB



Version 1 Date of compilation: 8/05/2024

Version 5 (replaces version 4)

Revision date: 13/06/2024

Page 3 of 11

Print date: 13/06/2024

### **Inhalation.**

Take the victim into open air; keep them warm and calm. If breathing is irregular or stops, perform artificial respiration.

### **Eye contact.**

Wash eyes with plenty of clean and cool water for at least 10 minutes while pulling eyelids up, and seek medical assistance. Don't let the person to rub the affected eye.

### **Skin contact.**

Remove contaminated clothing. Wash skin vigorously with water and soap or a suitable skin cleaner. NEVER use solvents or thinners. The use of personal protective equipment is recommended for people providing first aid (see section 8).

### **Ingestion.**

If accidentally ingested, seek immediate medical attention. Keep calm. NEVER induce vomiting.

### **4.2 Most important symptoms and effects, both acute and delayed.**

Corrosive Product, contact with eyes or skin can cause burns; ingestion or inhalation can cause internal damage, if this occurs immediate medical assistance is required.

Harmful Product, prolonged exposure due to inhalation may cause anaesthetic effects and the need for immediate medical assistance.

Contact with eyes may cause irreversible damage.

It may cause an allergic reaction, dermatitis, redness or inflammation of the skin.

### **4.3 Indication of any immediate medical attention and special treatment needed.**

In case of doubt or when symptoms of feeling unwell persist, get medical attention. Never administer anything orally to persons who are unconscious. Do not induce vomiting. If the person vomits, clear the respiratory tract.

## **SECTION 5: FIREFIGHTING MEASURES.**

The product does not present any particular risk in case of fire.

### **5.1 Extinguishing media.**

#### **Suitable extinguishing media:**

Extinguisher powder or CO<sub>2</sub>. In case of more serious fires, also alcohol-resistant foam and water spray.

#### **Unsuitable extinguishing media:**

Do not use a direct stream of water to extinguish. In the presence of electrical voltage, you cannot use water or foam as extinguishing media.

### **5.2 Special hazards arising from the substance or mixture.**

#### **Special risks.**

Exposure to combustion or decomposition products can be harmful to your health.

### **5.3 Advice for firefighters.**

Use water to cool tanks, cisterns, or containers close to the heat source or fire. Take wind direction into account. Prevent the products used to fight the fire from going into drains, sewers, or waterways. Product residues and extinguishing media may contaminate the aquatic environment.

### **Fire protection equipment.**

According to the size of the fire, it may be necessary to use protective suits against the heat, individual breathing equipment, gloves, protective goggles or facemasks, and boots.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES.**

### **6.1 Personal precautions, protective equipment and emergency procedures.**

For exposure control and individual protection measures, see section 8.

### **6.2 Environmental precautions.**

-Continued on next page.-

# SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)



Version 1 Date of compilation: 8/05/2024

Version 5 (replaces version 4)

Revision date: 13/06/2024

Page 4 of 11

Print date: 13/06/2024

Product dangerous for the environment, in case of large spills or if the product contaminates lakes, rivers, or sewers, inform the responsible authorities according to local legislation. Prevent the contamination of drains, surface or subterranean waters, and the ground.

## 6.3 Methods and material for containment and cleaning up.

Contain and collect spillage with inert absorbent material (earth, sand, vermiculite, Kieselguhr...) and clean the area immediately with a suitable decontaminant.

Deposit waste in closed and suitable containers for disposal, in compliance with local and national regulations (see section 13).

## 6.4 Reference to other sections.

For exposure control and individual protection measures, see section 8.

For later elimination of waste, follow the recommendations under section 13.

## SECTION 7: HANDLING AND STORAGE.

### 7.1 Precautions for safe handling.

For personal protection, see section 8.

In the application area, smoking, eating, and drinking must be prohibited.

Follow legislation on occupational health and safety.

Never use pressure to empty the containers. They are not pressure-resistant containers. Keep the product in containers made of a material identical to the original.

### 7.2 Conditions for safe storage, including any incompatibilities.

Store according to local legislation. Observe indications on the label. Store the containers between 5 and 25 °C, in a dry and well-ventilated place, far from sources of heat and direct solar light. Keep far away from ignition points. Keep away from oxidising agents and from highly acidic or alkaline materials. Do not smoke. Prevent the entry of non-authorised persons. Once the containers are open, they must be carefully closed and placed vertically to prevent spills.

The product is not affected by Directive 2012/18/EU (SEVESO III).

### 7.3 Specific end use(s).

Not available.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION.

### 8.1 Control parameters.

The product does NOT contain substances with Professional Exposure Environmental Limit Values. The product does NOT contain substances with Biological Limit Values.

Concentration levels DNEL/DMEL:

| Name                                                   | DNEL/DMEL         | Type                                  | Value                      |
|--------------------------------------------------------|-------------------|---------------------------------------|----------------------------|
| benzyl alcohol<br>CAS No: 100-51-6<br>EC No: 202-859-9 | DNEL<br>(Workers) | Inhalation, Chronic, Systemic effects | 90<br>(mg/m <sup>3</sup> ) |

DNEL: Derived No Effect Level, level of exposure to the substance below which adverse effects are not anticipated.

DMEL: Derived Minimal Effect Level, exposure level corresponding to a low risk, that risk should be considered a tolerable minimum.

### 8.2 Exposure controls.

#### Measures of a technical nature:

Provide adequate ventilation, which can be achieved by using good local exhaust-ventilation and a good general exhaust system.

|                                                                                                      |                               |
|------------------------------------------------------------------------------------------------------|-------------------------------|
| Concentration:                                                                                       | 100 %                         |
| Uses:                                                                                                | Curing agent for epoxy system |
| Breathing protection:                                                                                |                               |
| If the recommended technical measures are observed, no individual protection equipment is necessary. |                               |

-Continued on next page.-

# SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)

## MAXEPOX FLOOR AC CB



Version 1 Date of compilation: 8/05/2024

Version 5 (replaces version 4)

Revision date: 13/06/2024

Page 5 of 11

Print date: 13/06/2024

| Hand protection: |                                                                                                                                                                                                                                                              |                           |       |
|------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------|-------|
| PPE:             | Protective gloves against chemicals.                                                                                                                                                                                                                         |                           |       |
| Characteristics: | «CE» marking, category III.                                                                                                                                                                                                                                  |                           |       |
| CEN standards:   | EN 374-1, En 374-2, EN 374-3, EN 420                                                                                                                                                                                                                         |                           |       |
| Maintenance:     | Keep in a dry place, away from any sources of heat, and avoid exposure to sunlight as much as possible. Do not make any changes to the gloves that may alter their resistance, or apply paints, solvents or adhesives.                                       |                           |       |
| Observations:    | Gloves should be of the appropriate size and fit the user's hand well, not being too loose or too tight. Always use with clean, dry hands.                                                                                                                   |                           |       |
| Material:        | PVC (polyvinyl chloride)                                                                                                                                                                                                                                     | Breakthrough time (min.): | > 480 |
|                  |                                                                                                                                                                                                                                                              | Material thickness (mm):  | 0,35  |
| Eye protection:  |                                                                                                                                                                                                                                                              |                           |       |
| PPE:             | Protective goggles with built-in frame.                                                                                                                                                                                                                      |                           |       |
| Characteristics: | «CE» marking, category II. Eye protector with built-in frame for protection against dust, smoke, fog and vapour.                                                                                                                                             |                           |       |
| CEN standards:   | EN 165, EN 166, EN 167, EN 168                                                                                                                                                                                                                               |                           |       |
| Maintenance:     | Visibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors should be disinfected periodically following the manufacturer's instructions.                                                                          |                           |       |
| Observations:    | Some signs of wear and tear include: yellow colouring of the lenses, superficial scratching of the lenses, scraping etc.                                                                                                                                     |                           |       |
| Skin protection: |                                                                                                                                                                                                                                                              |                           |       |
| PPE:             | Protective clothing.                                                                                                                                                                                                                                         |                           |       |
| Characteristics: | «CE» marking, category II. Protective clothing should not be too tight or loose in order not to obstruct the user's movements.                                                                                                                               |                           |       |
| CEN standards:   | EN 340                                                                                                                                                                                                                                                       |                           |       |
| Maintenance:     | In order to guarantee uniform protection, follow the washing and maintenance instructions provided by the manufacturer.                                                                                                                                      |                           |       |
| Observations:    | The protective clothing should offer a level of comfort in line with the level of protection provided in terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use. |                           |       |
| PPE:             | Work footwear.                                                                                                                                                                                                                                               |                           |       |
| Characteristics: | «CE» marking, category II.                                                                                                                                                                                                                                   |                           |       |
| CEN standards:   | EN ISO 13287, EN 20347                                                                                                                                                                                                                                       |                           |       |
| Maintenance:     | This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should not be used by other people.                                                                                                                     |                           |       |
| Observations:    | Work footwear for professional use includes protection elements aimed at protecting users against any injury resulting from an accident                                                                                                                      |                           |       |

### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES.

#### 9.1 Information on basic physical and chemical properties.

Physical state: Liquid

Colour: INCOLORE

Odour: Not applicable/Not available due to the nature/properties of the product

Odour threshold: Not applicable

Melting point: Not applicable

Freezing point: Not applicable

Boiling point or initial boiling point and boiling range: >200 °C

Flammability: Not applicable

Lower explosion limit: Not applicable

Upper explosion limit: Not applicable

Flash point: >105 °C

Auto-ignition temperature: Not applicable

Decomposition temperature: Not applicable

pH: Not applicable (Substance/mixture is non-soluble (in water)).

Kinematic viscosity: Not applicable

Solubility: Not available

Hydrosolubility: Not applicable

Liposolubility: Not applicable

Partition coefficient n-octanol/water (log value): Not applicable

-Continued on next page.-

# SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)

## MAXEPOX FLOOR AC CB



Version 1      Date of compilation: 8/05/2024

Version 5 (replaces version 4)

Revision date: 13/06/2024

Page 6 of 11

Print date: 13/06/2024

Vapour pressure: Not applicable  
Absolute density: Not applicable  
Relative density: 1,05  
Relative vapour density: Not applicable  
Particle characteristics: Not applicable

### 9.2 Other information

Not applicable/Not available due to the nature/properties of the product

## SECTION 10: STABILITY AND REACTIVITY.

### 10.1 Reactivity.

The product does not present hazards by their reactivity.

### 10.2 Chemical stability.

Stable under the recommended handling and storage conditions (see section 7).

### 10.3 Possibility of hazardous reactions.

The product does not present possibility of hazardous reactions.

### 10.4 Conditions to avoid.

Avoid any improper handling.

### 10.5 Incompatible materials.

Keep away from oxidising agents and from highly alkaline or acidic materials in order to prevent exothermic reactions.

### 10.6 Hazardous decomposition products.

No decomposition if used for the intended uses.

## SECTION 11: TOXICOLOGICAL INFORMATION.

### 11.1 Information on hazard classes as defined in Regulation (EC) N° 1272/2008.

There are no tested data available on the product.  
Splatters in the eyes can cause irritation and reversible damage.

a) acute toxicity;  
Product classified:  
Acute toxicity (Oral), Category 4: Harmful if swallowed.

Acute Toxicity Estimate (ATE):  
Mixtures:  
ATE (Oral) = 1.667 mg/kg

b) skin corrosion/irritation;  
Product classified:  
Skin Corrosive, Category 1B: Causes severe skin burns and eye damage.

c) serious eye damage/irritation;  
Product classified:  
Serious eye damage, Category 1: Causes serious eye damage.

d) respiratory or skin sensitisation;  
Product classified:  
Skin sensitiser, Category 1: May cause an allergic skin reaction.

e) germ cell mutagenicity;  
Not conclusive data for classification.

f) carcinogenicity;  
Not conclusive data for classification.

-Continued on next page.-

# SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)

## MAXEPOX FLOOR AC CB



Version 1 Date of compilation: 8/05/2024

Version 5 (replaces version 4)

Revision date: 13/06/2024

Page 7 of 11

Print date: 13/06/2024

g) reproductive toxicity;  
Not conclusive data for classification.

h) STOT-single exposure;  
Not conclusive data for classification.

i) STOT-repeated exposure;  
Not conclusive data for classification.

j) aspiration hazard;  
Not conclusive data for classification.

### 11.2 Information on other hazards.

#### Endocrine disrupting properties

This product does not contain components with endocrine-disrupting properties with effects on human health.

#### Other information

There is no information available on other adverse health effects.

## SECTION 12: ECOLOGICAL INFORMATION.

### 12.1 Toxicity.

No information is available regarding the ecotoxicity of the substances present.

### 12.2 Persistence and degradability.

No information is available regarding the biodegradability of the substances present.

No information is available on the degradability of the substances present.

No information is available about persistence and degradability of the product.

### 12.3 Bioaccumulative potential.

Information about the bioaccumulation of the substances present.

| Name                                                     | Bioaccumulation |     |       |          |
|----------------------------------------------------------|-----------------|-----|-------|----------|
|                                                          | Log Pow         | BCF | NOECs | Level    |
| benzyl alcohol<br>CAS No: 100-51-6      EC No: 202-859-9 | 1,05            | -   | -     | Very low |

### 12.4 Mobility in soil.

No information is available about the mobility in soil.

The product must not be allowed to go into sewers or waterways.

Prevent penetration into the ground.

### 12.5 Results of PBT and vPvB assessment.

No information is available about the results of PBT and vPvB assessment of the product.

### 12.6 Endocrine disrupting properties.

This product doesn't contain components with environmental endocrine disrupting properties.

### 12.7 Other adverse effects.

The product is not affected by the Regulation (EC) No 1005/2009 of the European Parliament and of the Council of 16 September 2009 on substances that deplete the ozone layer.

No information is available about other adverse effects for the environment.

## SECTION 13: DISPOSAL CONSIDERATIONS.

### 13.1 Waste treatment methods.

-Continued on next page.-

# SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)

## MAXEPOX FLOOR AC CB



Version 1      Date of compilation: 8/05/2024

Version 5 (replaces version 4)

Revision date: 13/06/2024

Page 8 of 11

Print date: 13/06/2024

Do not dump into sewers or waterways. Waste and empty containers must be handled and eliminated according to current, local/national legislation.

Follow the provisions of Directive 2008/98/EC regarding waste management.

### SECTION 14: TRANSPORT INFORMATION.

Transport following ADR rules for road transport, RID rules for railway, ADN for inner waterways, IMDG for sea, and ICAO/IATA for air transport.

**Land:** Transport by road: ADR, Transport by rail: RID.

Transport documentation: Consignment note and written instructions

**Sea:** Transport by ship: IMDG.

Transport documentation: Bill of lading

**Air:** Transport by plane: ICAO/IATA.

Transport document: Airway bill.

#### 14.1 UN number or ID number.

UN No: UN2735

#### 14.2 UN proper shipping name.

Description:

ADR/RID: UN 2735, AMINES, LIQUID, CORROSIVE, N.O.S. (CONTAINS PHENOL, 4,4-(1-METHYLETHYLIDENE)BIS-, POLYMER WITH 5-AMINO-1,3,3-TRIMETHYLCYCLOHEXANEMETHANAMINE AND (CHLOROMETHYL)OXIRANE / 3-AMINOMETHYL-3,5,5-TRIMETHYLCYCLOHEXYLAMINE), 8, PG III, (E)

IMDG: UN 2735, AMINES, LIQUID, CORROSIVE, N.O.S. (CONTAINS PHENOL, 4,4-(1-METHYLETHYLIDENE)BIS-, POLYMER WITH 5-AMINO-1,3,3-TRIMETHYLCYCLOHEXANEMETHANAMINE AND (CHLOROMETHYL)OXIRANE / 3-AMINOMETHYL-3,5,5-TRIMETHYLCYCLOHEXYLAMINE), 8, PG III

ICAO/IATA: UN 2735, AMINES, LIQUID, CORROSIVE, N.O.S. (CONTAINS PHENOL, 4,4-(1-METHYLETHYLIDENE)BIS-, POLYMER WITH 5-AMINO-1,3,3-TRIMETHYLCYCLOHEXANEMETHANAMINE AND (CHLOROMETHYL)OXIRANE / 3-AMINOMETHYL-3,5,5-TRIMETHYLCYCLOHEXYLAMINE), 8, PG III

#### 14.3 Transport hazard class(es).

Class(es): 8

#### 14.4 Packing group.

Packing group: III

#### 14.5 Environmental hazards.

Marine pollutant: No

Transport by ship, FEm – Emergency sheets (F – Fire, S - Spills): F-A,S-B

#### 14.6 Special precautions for user.

Labels: 8



Hazard number: 80

Provisions concerning carriage in bulk ADR: Not authorized carriage in bulk in accordance with ADR.

Proceed in accordance with point 6.

IMDG Code segregation group: 18 Alkalis

ADR LQ: 5 L

IMDG LQ: 5 L

ICAO LQ: 1 L

#### 14.7 Maritime transport in bulk according to IMO instruments.

The product is not transported in bulk.

-Continued on next page.-

# SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)

## MAXEPOX FLOOR AC CB



Version 1 Date of compilation: 8/05/2024

Version 5 (replaces version 4)

Revision date: 13/06/2024

Page 9 of 11

Print date: 13/06/2024

### SECTION 15: REGULATORY INFORMATION.

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture.

Volatile organic compound (VOC)

VOC content (p/p): 0 %

VOC content: 0 g/l

The product is not affected by Regulation (EU) No 528/2012 concerning the making available on the market and use of biocidal products.

The product is not affected by the procedure established Regulation (EU) No 649/2012, concerning the export and import of dangerous chemicals.

Restrictions on the manufacturing, placing on the market and use of certain dangerous substances, mixtures and articles:

| Designation of the substance, of the group of substances or of the mixture                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Conditions of restriction                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 3. Liquid substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008:<br>(a) hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F;<br>(b) hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10;<br>(c) hazard class 4.1;<br>(d) hazard class 5.1. | 1. Shall not be used in:<br>- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,<br>- tricks and jokes,<br>- games for one or more participants, or any article intended to be used as such, even with ornamental aspects,<br>2. Articles not complying with paragraph 1 shall not be placed on the market.<br>3. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they:<br>- can be used as fuel in decorative oil lamps for supply to the general public, and,<br>- present an aspiration hazard and are labelled with H304,<br>4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation (CEN).<br>5. Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of dangerous substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:<br>(a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: 'Keep lamps filled with this liquid out of the reach of children'; and, by 1 December 2010, 'Just a sip of lamp oil - or even sucking the wick of lamps - may lead to life-threatening lung damage';<br>(b) grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter may lead to life threatening lung damage';<br>(c) lamp oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010. |

#### 15.2 Chemical safety assessment.

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

### SECTION 16: OTHER INFORMATION.

Complete text of the H phrases that appear in section 3:

H302 Harmful if swallowed.  
H314 Causes severe skin burns and eye damage.

-Continued on next page.-

# SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)

## MAXEPOX FLOOR AC CB



**Version 1**      **Date of compilation: 8/05/2024**

**Version 5 (replaces version 4)**

**Revision date: 13/06/2024**

**Page 10 of 11**

**Print date: 13/06/2024**

|      |                                                    |
|------|----------------------------------------------------|
| H317 | May cause an allergic skin reaction.               |
| H318 | Causes serious eye damage.                         |
| H332 | Harmful if inhaled.                                |
| H412 | Harmful to aquatic life with long lasting effects. |

Classification codes:

Acute Tox. 4 : Acute toxicity (Inhalation), Category 4  
Acute Tox. 4 : Acute toxicity (Oral), Category 4  
Aquatic Chronic 3 : Chronic effect to the aquatic environment, Category 3  
Eye Dam. 1 : Serious eye damage, Category 1  
Skin Corr. 1B : Skin Corrosive, Category 1B  
Skin Sens. 1 : Skin sensitiser, Category 1  
Skin Sens. 1A : Skin sensitiser, Category 1A

Changes regarding to the previous version:

- Change of the name of the product (SECTION 1.1).
- Change of the uses of the product (SECTION 1.2).
- Change in the hazard classification (SECTION 2.1).
- Removal of precautionary statements/hazard statements/pictograms/signal word (SECTION 2.2).
- Addition of precautionary statements/hazard statements/pictograms/signal word (SECTION 2.2).
- Changes in the composition of the product (SECTION 3.2).
- Changes in the composition of the product (SECTION 3.2).
- Changes in the composition of the product (SECTION 3.2).
- Deleted substance included in the list established under Article 59, paragraph 1, REACH (Candidate substance). (SECTION 3.2).
- Modifications in the first aid measures (SECTION 4.1).
- Modification of the symptoms (SECTION 4.2).
- Modification of the medical attention measures (SECTION 4.3).
- Modification in the firefighting measures (SECTION 5.2).
- Modifications in the handling and storage precautions (SECTION 7.1).
- Modifications in the handling and storage precautions (SECTION 7.2).
- Elimination of exposure data (SECTION 8.1).
- Elimination of personal protective equipment (SECTION 8.2).
- Addition of personal protective equipment (SECTION 8.2).
- Modifications of the personal protective equipment (SECTION 8.2).
- Modification in the values of the physical and chemical properties (SECTION 9).
- Change in the hazard classification (SECTION 11.1).
- Modification of the classification ADR/IMDG/ICAO/IATA/RID (SECTION 14).
- National legislative changes (SECTION 15.1).

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

|                       |                       |
|-----------------------|-----------------------|
| Physical hazards      | On basis of test data |
| Health hazards        | Calculation method    |
| Environmental hazards | Calculation method    |

It is advisable to carry out basic training with regard to health and safety at work in order to handle this product correctly.

Risk classification system NFPA 704:

-Continued on next page.-

# SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)

## MAXEPOX FLOOR AC CB




Version 1 Date of compilation: 8/05/2024

Version 5 (replaces version 4)

Revision date: 13/06/2024

Page 11 of 11

Print date: 13/06/2024



Health hazard: 3 (Extreme Danger)

Flammability: 0 (Will not burn)

Reactivity: 0 (Stable)

Specific hazard: COR (Corrosive)

### Abbreviations and acronyms used:

- ADR: Agreement concerning the International Carriage of Dangerous Goods by Road.  
BCF: Bioconcentration factor.  
CEN: European Committee for Standardization.  
DMEL: Derived Minimal Effect Level, exposure level corresponding to a low risk, that risk should be considered a tolerable minimum.  
DNEL: Derived No Effect Level, level of exposure to the substance below which adverse effects are not anticipated.  
EC50: Half maximal effective concentration.  
PPE: Personal protection equipment.  
IATA: International Air Transport Association.  
ICAO: International Civil Aviation Organization.  
IMDG: International Maritime Code for Dangerous Goods.  
LC50: Lethal concentration, 50%.  
LD50: Lethal dose, 50%.  
NOEC: No observed effect concentration.  
RID: Regulations Concerning the International Transport of Dangerous Goods by Rail.

### Key literature references and sources for data:

- <http://eur-lex.europa.eu/homepage.html>  
<http://echa.europa.eu/>  
Regulation (EU) 2020/878.  
Regulation (EC) No 1907/2006.  
Regulation (EC) No 1272/2008.

The information given in this Safety Data Sheet has been drafted in accordance with COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemical substances and mixtures (REACH).

The information in this Safety Data Sheet on the Preparation is based on current knowledge and on current EC and national laws, as far as the working conditions of the users is beyond our knowledge and control. The product must not be used for purposes other than those that are specified without first having written instructions on how to handle. It is always the responsibility of the user to take the appropriate measures in order to comply with the requirements established by current legislation. The information contained in this Safety Sheet only states a description of the safety requirements for the preparation, and it must not be considered as a guarantee of its properties.